

Doc. no. 1SAA960003-2401.doc
 Rev. ind.
 Date 2002-11-06
 From Guenther Steinleitner
 Dept. DESTO/QM
 Phone +49 6221 701-1221
 Fax +49 6221 701-1358
 E-mail guenther.steinleitner@de.abb.com

Environmental Information

The purpose of this document is to provide environmental information requested in the procedure for Industrial ^{IT} Enabled level 0.

Product name	Distributed Automation I/O S500 - busmoduls DX501-DP, DX502-DP - terminal units bus modul TU501, TU502 - extension box DI501, DO501, AX501 - digital expansion moduls DX511, DI511, DO511 - terminal units expansion digital TU511, TU512 - analog expansion moduls AI511, AI512, AX511 - terminal units expansion analog TU525, TU526 - busmodul DC501 - terminal units bus modul TU503, TU504 - digital expansion module DC511 - terminal units expansion digital TU513, TU514
ABB Identity number	1SVP426xxxRxxxx
Information provided by (Name and e-mail address)	Guenther Steinleitner Guenther.Steinleitner@de.abb.com
Business area	Low Voltage Products – ATLV
Date	November 2002

1 Related documents

- Industrial ^{IT} Architecture - Introduction and Definitions, 3BSE023904
- Industrial ^{IT} Certification Overview, 3BSE023905
- Industrial ^{IT} Certification Guideline, 3BSE024526
- Industrial ^{IT} Enabled Level 0 - Information, Introduction and Definitions, 3BSE025934

Ref documents:

[http://inside.abb.com/The Insider/Featured Portals/Industrial IT Deployment/06 Product Certification/Document Library](http://inside.abb.com/The_Insider/Featured_Portals/Industrial_IT_Deployment/06_Product_Certification/Document_Library)

Group Function Sustainability Affairs

2 Environmental Information

2.1 Content of hazardous materials

Declare the presence of hazardous materials in the product. Printed circuit boards are declared separately under 2.1.1 and should be excluded from the declaration in the table below.

Material	Example application	Yes	No	Quantity/unit <i>Optional ⁽¹⁾</i>
Lead	Batteries, cables		✓	
Cadmium	Batteries, switches, additive in lead		✓	
Mercury	Batteries, switches		✓	
Beryllium	Contact springs		✓	
Brominated flame retardants, e.g: PBB, PBDE, TBBPA	Additive in plastics or rubber		✓	
HCFCs, e.g: R 22, R 123, R 141b	Cooling media		✓	
SF6, sulphurhexafluoride	Breakers		✓	
Polyvinyl chloride, PVC	Cables	✓		

(1) Strive to declare the quantity. This is optional, however, since it is today sometimes difficult to retrieve such information, especially regarding supplied components.

2.1.1 Printed circuit boards

Specify the amount of printed circuit boards used in the product by declaring the total board surface:

- < 1 dm²
- 1-10 dm²
- > 10 dm²
- No printed circuit boards used in the product

Doc. no. 1Syyxxxx.doc

Rev. ind.

Date 2002-11-06

2.2 Recycling information

Is recycling information for the product available?

- Yes Ref. Document:.....
- No

If No, please specify, in the table below, the component/part/physical position where the material is present:

Material	Component/part/physical position
Lead	
Cadmium	
Mercury	
Beryllium	
Brominated flame retardants	
HCFCs	
SF6, sulphurhexafluoride	
Polyvinyl chloride, PVC	Flat cables in the terminal units expansion

2.3 Energy use and/or losses during the operation of the product

Is energy use and/or losses during operation of the product specified in the product documentation?

- Yes Ref. Document: Product data sheet
- No
- Not relevant